



Timer Controls: Plug-In Timers

TN111RM40 | 24-Hour Outdoor Mechanical Plug-In Timer



TN111RM40

24-HOUR OUTDOOR MECHANICAL PLUG-IN TIMER

Plug-in timer rated for installation into a Type 3R outdoor low voltage transformer enclosure. Simple implementation of ON/OFF schedule.



Features & Applications

Features

- 2 ON/2 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers

Applications

- Pumps
- Water Fountains

- Minimum 30-min ON/OFF time
- Rated for outdoor use in a Type 3R outdoor enclosure
- Manual override dial
- Aerators
- Landscape/Holiday Lighting
- Engine Block Heaters

Specifications

Usage Environments Outdoor	Input Voltages Display 125 VAC, 60 Hz	Product Width (in) 3
Mechanism Type Analog/Mechanical	Resistive 9 A (1125 W), 125 VAC, 60 Hz	Product Width (mm) 76
Number of Plugs 1	Inductive 9 A, 125 VAC, 60 Hz	Product Depth (in) 2
Plug Configurations 1-15	Product Height (in) 3 1/8	Product Depth (mm) 51
Color Black	Product Height (mm) 79	Warranty 1-year limited

Related Accessories and Parts (3)



107TN222

TURQUOISE (ON) TRIPPER FOR TN, PB, TB SERIES, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS AND AL900TPWS



107TN221

RED (OFF) TRIPPER FOR TN, PB, TB SERIES, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS AND AL900TPWS



156PB10398A

**TRIPPERS - CLIP, ON/OFF, 24-HR FOR PB
AND PF1100 SERIES**

Copyright © 2017 Intermatic Incorporated. All rights reserved.