

Product data sheet

Specifications



switch-disconnector fuse body GS1 3 poles - UL 30 A - fuse size J

GS1EU3

 Discontinued on: Jan 23, 2021

Product availability: Non-Stock - Not normally stocked in distribution facility

 Discontinued

Main

Range of Product	TeSys GS
Range	TeSys
Device short name	GS1E
Fuse type	UL
Fuse size	J
Product or Component Type	Fuse switch disconnector body
Device Application	Distribution
Poles description	3P
Network type	AC DC
Type of operating handle	Front

Complementary

Network Frequency	50/60 Hz
Mounting Support	Rail Plate
[Ie] rated operational current	30 A
Rated operational power in W	15 W 400 V AC-23)
Net Weight	4.6 lb(US) (2.1 kg)

Environment

Standards	CSA UL
Product Certifications	ASEFA LROS (Lloyds register of shipping) LOVAG
IP degree of protection	IP20 IEC 60529 with terminal cover)

Ordering and shipping details

Category	US10I1122640
Discount Schedule	0I11
GTIN	00785901179566
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin US

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Compliant