Product data sheet Characteristics

VW3A9208

kit for UL type 1 conformity - for variable speed drive



Main		
Accessory / separate part category	Mounting and fixing accessories	
Accessory / separate part type	Conformity kit	
Degree of protection	UL type 1	
Product compatibility	ATV212HD30N4 ATV212HD55N4 ATV212HD75N4 ATV61HD37Y ATV61HD45N4 ATV61HD55N4 ATV61HD55N4 ATV61HD55Y ATV61HD75N4 ATV61HD75Y ATV61HD75Y ATV61HD75Y ATV71HD37Y ATV71HD45N4 ATV71HD45N4 ATV71HD45N4 ATV71HD45N4 ATV71HD45N4 ATV71HD45N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75N4 ATV71HD75Y ATV71HD75Y	
Accessory / separate part destination	Variable speed drive	
Range Compatibility	Altivar 61 Altivar 212 Altivar 71	

Complementary

Kit composition	manual Fixing accessories All the mechanical parts including a pre-cut plate for connecting the tubes
Product Weight	15.43 lb(US) (7 kg)

Environment

Standards UL Type 1

Ordering and shipping details

Category	22135 - ATV61-71 ACCESSORIES
Discount Schedule	CP4C
GTIN	00785901457497
Nbr. of units in pkg.	1
Package weight(Lbs)	1 lb(US) (0.45 kg)
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE	
Package 1 Height	9.84 in (25 cm)	
Package 1 width	9.45 in (24 cm)	
Package 1 Length	13.39 in (34 cm)	
Unit Type of Package 2	S06	

Number of Units in Package 2	1	
Package 2 Weight	35.27 lb(US) (16 kg)	
Package 2 Height	28.94 in (73.5 cm)	
Package 2 width	23.62 in (60 cm)	
Package 2 Length	31.50 in (80 cm)	
Unit Type of Package 3	P06	
Number of Units in Package 3	10	
Package 3 Weight	84.88 lb(US) (38.5 kg)	
Package 3 Height	30.31 in (77 cm)	
Package 3 width	31.50 in (80 cm)	
Package 3 Length	23.62 in (60 cm)	

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	☑ China RoHS Declaration	


Contractual warranty

Warranty	18 months

VW3A9208

UL Type 1 Conformity Kits

Dimensions



- (1) Drive (2) Kit

Dimensions in mm

VW3	A9206	A9207	A9208
а	240	240	320
b	59.9	51.5	136

Dimensions in in.

VW3	A9206	A9207	A9208
а	9.45	9.45	12.60
b	2.36	2.03	5.35