SIEMENS

Data sheet 3VA9373-0JC24



circular conduc. terminal TA2.8 1x250...750 kcmil; 2x250 kcmil for 1 cable 250 - 750 kcmil or 2 cables 250 kcmil; with auxiliary conductor voltage tap 3 units accessory for: 3VA53/54; 3VA63/64 up to 400 A

Model	
product brand name	SENTRON
product designation	circular conductor terminal
design of the product	Connection method
accessories	Wire connector
General technical data	
designation / of the terminal	TA2.8
type of electrical connection / with control wire tap	Yes
Mechanical Design	
Net Weight	898 g
Connections according IEC	
stripped length	38,1 mm
Connetctions according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C
stripped length	1.5 in
connectable conductor cross-section	
● for copper cable / stranded / minimum	250 kcmil
● for copper cable / stranded / maximum	750 kcmil
● for aluminum cable / stranded / minimum	250 kcmil
● for aluminum cable / stranded / maximum	750 kcmil
tightening torque / when using copper cables	
● stranded	250-750kcmil: 410.0 lb-in, 250kcmil: 410.0 lb-in
Certificates	

General Product Approval

Miscellaneous | Confirmation

EMV	Test Certificates	Maritime application	other		Environment
RCM	Type Test Certific-ates/Test Report	LRS	Miscellaneous	Confirmation	Environmental Con-firmations


Environment


Subject to change without notice
© Copyright Siemens

Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9373-0JC24
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9373-0JC24
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9373-0JC24
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications





Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens

last modified:	4/6/2026

Subject to change without notice
© Copyright Siemens