Product data sheet Characteristics

GV2AF3

TeSys GV2, interconnection block, to connect GV2 and LC1D09 to D38 contactor





Main	
Range	Linergy
Product name	FT
Device short name	GV2AF
Product or Component Type	Combination block
Accessory / separate part category	Connection accessory
Range compatibility	TeSys GV2 TeSys D TeSys TeSys Deca

Complementary

Product Compatibility	LC1D09D38	
Poles description	3P	
[le] rated operational current	32 A	
Quantity per Set	Set of 10	
Net Weight	0.04 lb(US) (0.016 kg)	

Ordering and shipping details

Category	22367-MANUAL STR PROTECTOR - GV2	
Discount Schedule	l11	
GTIN	3389110569063	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.78 oz (22.0 g)	
Returnability	Yes	
Country of origin	FR	

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	3.74 in (9.5 cm)
Package 1 width	3.94 in (10 cm)
Package 1 Length	5.91 in (15 cm)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	9.45 oz (268.0 g)
Package 2 Height	3.74 in (9.5 cm)
Package 2 width	3.94 in (10 cm)
Package 2 Length	5.91 in (15 cm)
Unit Type of Package 3	P06
Number of Units in Package 3	1120
Package 3 Weight	95.51 lb(US) (43.324 kg)
Package 3 Height	30.31 in (77 cm)
Package 3 width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	☑ REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EEEU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	€Yes	
China RoHS Regulation	China RoHS Declaration	
Environmental Disclosure	Product Environmental Profile	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	


Contractual warranty


Warranty 18 months

GV2AF3

GV2AF01


Combination GV2ME + TeSys k contactor






GV2AF3

Combination GV2ME + TeSys d contactor



GV2ME +	LC1D09D18	LC1D25 and D32
b	176.4	186.8
c1	94.1	100.4
С	99.6	105.9

Combination GV2P + TeSys d contactor



GV2P +	LC1D09D18	LC1D25 and D32
b	176.4	186.8
c1	100.1	106.4
С	105.6	111.9
d1	95	95
d	100.5	100.5