VW3A1102

door mounting kit, Altivar, variable speed drive, for remote graphic terminal, IP54



Main	
Range of Product	Altivar
Accessory / separate part category	Mounting and fixing accessory
Accessory / Separate Part Type	Mounting kit
Accessory / separate part destination	Variable speed drive
Range Compatibility	Altivar 71 Altivar 71Q Altivar 32 Altivar 61 Altivar 212 Altivar 61Q Altivar Machine ATV320
IP Degree of Protection	IP54

Complementary

Kit composition	Screws and bolts for mounting Mounting hardware
Net Weight	0.33 lb(US) (0.15 kg)

Ordering and shipping details

Category	22135-ATV61-71 ACCESSORIES	
Discount Schedule	CP4C	
GTIN	3389118069312	
Nbr. of units in pkg.	1	
Package weight(Lbs)	7.83 oz (222.0 g)	
Returnability	Yes	
Country of origin	FR	

Packing Units

. doming office	
Unit Type of Package 1	PCE
Package 1 Height	2.95 in (7.5 cm)
Package 1 width	6.50 in (16.5 cm)
Package 1 Length	9.06 in (23 cm)
Unit Type of Package 2	P06
Number of Units in Package 2	56
Package 2 Weight	58.72 lb(US) (26.636 kg)
Package 2 Height	30.31 in (77 cm)
Package 2 width	23.62 in (60 cm)
Package 2 Length	31.50 in (80 cm)
Unit Type of Package 3	S03
Number of Units in Package 3	7
Package 3 Weight	4.49 lb(US) (2.037 kg)
Package 3 Height	11.81 in (30 cm)
Package 3 width	11.81 in (30 cm)
Package 3 Length	15.75 in (40 cm)

Offer Sustainability


California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	☐ China RoHS Declaration

Contractual warranty

14/	40
Warranty	18 months

Door Mounting Kit for Remote Graphic Display Terminal

Dimensions and Mounting



Cuts-outs and drill holes

