

**EBPLED7W/EBPLED14W Battery Pack**



Product Feature	Customer Benefit
Field installable	Meet emergency code with no aesthetic impact
Satisfies all wiring configurations as conduit and test button are included	Design ease; less SKU's to stock
7 watt or 14 watt output creates 600 to 2500 lumens in emergency mode	Design flexibility; superior egress coverage
Laser test feature enables simplified NFPA testing	Labor savings on NFPA/OSHA required testing

Certification / Warranty
UL 924 Classified for field installation
NFPA/NEC/OSHA/CEC code compliant
Guaranteed compatibility w/ Eaton Fixtures
5 year product warranty

**APX/APX7H Polycarbonate Exit**



Product Feature	Customer Benefit
LED source with nickel cadmium battery	Up to 10 years with no maintenance
Red or Green LED illumination	Design flexibility
Universal mount; single or double sided	Design flexibility
Optional remote capacity to drive 2 or 4 LED heads (H version)	Design flexibility; labor and material savings

Certification / Warranty
UL 924 damp location listed
NFPA/NEC/OSHA/CEC code compliant
5 year product warranty
7 year prorated battery warranty

**APC7/APC7H Polycarbonate LED Combo**



Product Feature	Customer Benefit
LED source with nickel cadmium battery	Up to 10 years with no maintenance
Red or Green LED illumination	Design flexibility
Universal mount; single or double sided	Design flexibility
LED emergency heads	Design flexibility; labor and material savings
Optional remote capacity to drive 2 LED heads (H version)	Design flexibility; labor and material savings

Certification / Warranty
UL 924 damp location listed
NFPA/NEC/OSHA/CEC code compliant
5 year product warranty
7 year prorated battery warranty

**APELMINI Polycarbonate LED Emergency**



Product Feature	Customer Benefit
LED source with nickel cadmium battery	Up to 10 years with no maintenance
Adjustable heads	Design flexibility
Compact design: 5-1/14" x 4-3/4"	Better design aesthetics

Certification / Warranty
UL 924 damp location listed
NFPA/NEC/OSHA/CEC code compliant
5 year product warranty
7 year prorated battery warranty

**APEL/APELH2 Polycarbonate LED Emergency**



Product Feature	Customer Benefit
LED source with nickel cadmium battery	Up to 10 years with no maintenance
Adjustable heads	Design flexibility
Optional remote capacity to drive 2 LED heads (H2 version)	Design flexibility; labor and material savings

Certification / Warranty
UL 924 damp location listed
NFPA/NEC/OSHA/CEC code compliant
5 year product warranty
7 year prorated battery warranty

## APWR1/APWR2 Indoor/Outdoor Polycarbonate LED Remote



Product Feature	Customer Benefit	Certification / Warranty
LED source	Up to 10 years with no maintenance	UL 924 wet location listed
Adjustable heads	Design Flexibility	NFPA/NEC/OSHA/CEC code compliant
Outdoor rated	Design flexibility; less SKU's to stock	5 year product warranty

## SEL Polycarbonate LED Emergency



Product Feature	Customer Benefit	Certification / Warranty
Up to 60 feet of egress coverage	Up to \$300 savings on installation	UL924 damp location
LED source with Nickel cadmium battery	Up to ten years with no maintenance	NFPA/NEC/OSHA/CEC code compliant
Optional remote capacity (SRP/SRM remotes)	Indoor, outdoor design flexibility	5-year product warranty
Self diagnostics w/laser test option	Labor savings on NFPA/OSHA required testing	7-year prorated battery warranty

## SELW Polycarbonate Outdoor LED Emergency



Product Feature	Customer Benefit	Certification / Warranty
LED source with Nickel cadmium battery	Up to ten years with no maintenance	UL924 wet location
Forward throw optic	Maximum design flexibility	NFPA/NEC/OSHA/CEC code compliant
Up to 25 feet of egress coverage	Design flexibility; superior egress coverage	5-year product warranty
Architectural look	Pleasing aesthetics	7-year prorated battery warranty

## LPX Polycarbonate / CX Die Cast Exit



Product Feature	Customer Benefit	Certification / Warranty
LED source with Nickel cadmium battery	Up to ten years with no maintenance	UL924 damp location listed
Field adjustable for red or green / universal mount	Maximum design flexibility; less SKU's to stock	NFPA/NEC/OSHA/CEC code compliant
Optional remote capacity (SRP/SRM remotes)	Indoor/outdoor design flexibility	5-year product warranty
Self diagnostics with laser test option	Labor savings on NFPA/OSHA required testing	7-year prorated battery warranty

## SELDW Industrial LED Emergency



Product Feature	Customer Benefit	Certification / Warranty
LED source with Nickel cadmium battery	Up to ten years with no maintenance	UL924 wet location listed
Up to 60 feet of egress coverage	Fixture cost savings - less fixtures required	NEMA 4X/IP66/NSF
Self diagnostics with laser test standard	Labor savings on NFPA/OSHA required testing	NFPA/NEC/OSHA/CEC code compliant
NEMA 4X; IP66; - 30° C to 50° C temp range	Maximum design flexibility; less SKU's to stock	HAZ (class 1, Div 2) option
		5-year product warranty
		7-year prorated battery warranty

## UX Industrial Exit



Product Feature	Customer Benefit
LED source with Nickel cadmium battery	Up to ten years with no maintenance
Field adjustable for red or green/universal mount	Maximum design flexibility; less SKU's to stock
Self diagnostics with laser test standard	Labor savings on NFPA/OSHA required testing
NEMA 4X; IP66; - 30° C to 50° C temp range	Maximum design flexibility; less SKU's to stock

Certification / Warranty
UL924 wet location listed
NEMA 4X/IP66/NSF
NFPA/NEC/OSHA/CEC code compliant
HAZ (class 1, Div 2) option
5-year product warranty
7-year prorated battery warranty