

Eaton CMBEB150BTS

Catalog Number: CMBEB150BTS

Eaton Meter Breaker EUSERC Type CH , CSR2150N main breaker, Distribution section, 150A, 120/240V, Ring, 22 kAIC, Surface mounting, Box size A, Aluminum bus, OH/UG feed, Four-jaws, 1 socket, #6-250 kcmil line, #6-250 kcmil ground

General specifications

Product Name	Catalog Number
Eaton meter breaker EUSERC	CMBEB150BTS
UPC	Product Length/Depth
782114849286	5.38 in
Product Height	Product Width
28.38 in	14.44 in
Product Weight	Warranty
37 lb	Limited lifetime
Compliances	Certifications
EUSERC Approved	UL Listed



Product specifications

Special features

Distribution section

Interrupt rating

22 kAIC

Utility approvals

ID : Idaho Power

OR : Idaho Power

WA : Seattle City Light

AK : Anchorage Municipal Light & Power

NV : NV Energy

MT : NorthWestern Energy

NE : NorthWestern Energy

SD : NorthWestern Energy

WY : NorthWestern Energy

WA : Puget Sound Energy

WA : Tacoma Public Utilities

Phase

Single-phase

Ground

#6-250 kcmil

Bus material

Aluminum

Number of jaws

Four-jaw

Main circuit breaker

CSR2150N

Enclosure

NEMA 3R

Type

All-in-ones

Feed type

Top/bottom

Number of sockets

1

Used with

Type CH breakers

Voltage rating

Resources

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Drawings

[Dimensional Drawing - METER BREAKER WEST COAST STYLE](#)

Specifications and datasheets

[Eaton Specification Sheet - CMBEB150BTS](#)

[Technical Data Residential Meter Breakers: Type CH and BR Residential](#)

120/240 V

Box size

A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia