Product specifications

Eaton MBE48B200BTF

Catalog Number: MBE48B200BTF

Eaton Meter Breaker EUSERC Type BR ,CSR2200 main breaker, 200A, 120/240V, Ring,4 spaces,8 circuits,10 kAIC,Flush mounting,Box size A, Aluminum bus,Overhead/underground feed,Four-jaws,1 socket,#6-250 kcmil line, #6-250 kcmil ground

General specifications

Product Name	**Catalog Number**
Eaton meter breaker EUSERC	MBE48B200BTF
UPC	**Product Length/Depth**
782114849200	5.38 in
Product Height	**Product Width**
28.38 in	14.44 in
Product Weight	**Warranty**
32 lb	10 year
Compliances	**Certifications**
EUSERC Approved	UL Listed

Powering Business Worldwide

Product specifications

Interrupt rating

10 kAIC

Utility approvals

AZ : Arizona Public Service Company
ID : Idaho Power
OR : Idaho Power
WA : Seattle City Light
AK : Anchorage Municipal Light & Power
NV : NV Energy
CA : Pacific Gas and Electric (PG&E)
CA : Sacramento Municipal Utility District (SMUD)
AZ : Salt River Project (SRP)
HI : Hawaiian Electric
MT : NorthWestern Energy
NE : NorthWestern Energy
SD : NorthWestern Energy
WY : NorthWestern Energy
WA : Puget Sound Energy
WA : Tacoma Public Utilities

Phase

Single-phase

Ground

#6-250 kcmil

Bus material

Aluminum

Number of jaws

Four-jaw

Main circuit breaker

CSR2200

Enclosure

NEMA 3R

Type

All-in-ones

Feed type

Top/bottom

Number of sockets

1

Used with

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER BREAKER WEST COAST STYLE

Specifications and datasheets

Eaton Specification Sheet - MBE48B200BTF

Technical Data Residential Meter Breakers: Type CH and BR Residential

Type BR breakers

Voltage rating

120/240 V

Number of circuits

8

Box size

A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia