# UNISTRUT®

# P2341




**Materials & Finishes** - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Plain (PL):** No finish

**Materials & Finishes** - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please contact us for design support.

| Part No. | Nom. Pipe Size | Finish | Product Weight / Piece (lbs) |
|---|---|---|---|
| P2341L | L | EG | 0.6 |
| P2341L | L | HG | 0.636 |
| P2341L | L | GR | 0.6 |
| P2341L | L | ZD | 0.6 |
| P2341R | R | EG | 0.6 |
| P2341R | R | HG | 0.636 |
| P2341R | R | GR | 0.6 |
| P2341R | R | ZD | 0.6 |

**Project:**

**Architect / Engineer:**

**Date:**

**Phone:**

**Contractor:**

**Address:**

**Notes:**

**Approval Stamp:**