

Eaton 100NHG01B

Catalog Number: 100NHG01B

Eaton Bussmann series low voltage NH Fuse, 500V, 100A, 120 kAIC, Combination fuse status indicator, fuse, Class C gL/gG

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	100NHG01B
	UPC
	051712625999
EAN	Product Length/Depth
5027590428118	135 mm
Product Height	Product Width
57.8 mm	29.55 mm
Product Weight	Compliances
270.667 g	RoHS Compliant
	CE Marked
Certifications	
IEC 60269-1	
IEC 60269-2	
DIN 43620	

Product specifications

Interrupt rating

120 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Suitable for

Microswitch 170H0235

Amperage Rating

100 A

Frequency rating - max

62 Hz

Fuse type

Square body with knife blade contact

Fitted with:

Metal gripping lugs

Rated switching capacity

120 kA

Fuse size

NH01

Voltage rating

500 V

Fuse indicator

Combination fuse status indicator

Construction

NH01

Construction size

NH01

Rated voltage AC

500 V

Connection

Blade end

Quantity

3

Material

Resources

Catalogs

CA134002EN

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

Compliance information

CE NH Size 000, 500V fuse-links

UKCA NH Size 000, 500V fuse-links

Multimedia

Eaton Bussmann – NH fuse link portfolio

Presentations

NH Overview Video

Technical data sheets

10164 NH 500 Volts gG

Ceramic body

Utilization category

gL/gG (cable protection/equipment protection)

Type

fuse

Fuse shape

Knife blade contacts

Square body

Breaking capacity

120 kA

Frequency rating - min

45 Hz

Class

Class gG/gL

Application

industrial

Utilities, Solar, Wind

Voltage type

AC



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)