Eaton TCF60

Catalog Number: TCF60

Eaton Bussmann series TCF fuse, 60 A, 60 Hz, 50 Hz, Dual, CF, Black, With indicator, Blade end, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC at 300 Vdc, Glass filled PES, Chassis|35 mm DIN rail, 600 V, 300 Vdc

General specifications

Product Name Eaton Bussmann series TCF fuse UPC 051712615082 Product Length/Depth 2.13 in Product Width 1 in Warranty Not Applicable

UL Listed CSA Certified Catalog Number TCF60 EAN 5027590184441 Product Height 1.9 in Product Weight

0.17 lb

Compliances CE Marked

RoHS Compliant

Powering Business Worldwide



Electrical rating

Amperage Rating

60 A

Frequency rating - max 60 Hz

Frequency rating - min 50 Hz

Interrupt rating 300 kAIC at 600 Vac 100 kAIC at 300 Vdc

Response time 10 sec at 500%

Voltage rating 600 Vac, 300 Vdc

Physical details

Black

Fuse type Class CF Time delay

Material Glass filled PES

Number of elements

Dual

Packaging type

Standard

General information

Class

Class CF

Connection

Blade end

Fuse indicator

With Indicator

Mounting method

Chassis 35 mm DIN rail

Special features

Finger safe

Used with TCFH60N, CCP2-3-60CF

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

The Power of Space

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - TCF60

Technical data sheets TCF60~CUBEFUSE, TCF 60A IND

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia