Product specifications

Eaton EDSC3290

Catalog Number: EDSC3290

Eaton Crouse-Hinds series EDS pushbutton control station, With pushbuttons, Feraloy iron alloy, Two circuit universal, 2, Two-gang, 2, Through feed, 1", 600 Vac

General specifications

Product Name
Eaton Crouse-Hinds series EDS pushbutton control station

Catalog Number
EDSC3290

UPC
782274766041

Product Length/Depth
7.19 in

Product Height
6.03 in

Product Width
5.81 in

Product Weight
15.24 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With pushbuttons

Voltage rating

600 Vac

Number of gangs

Two-gang

Number of pushbuttons

2

Number of devices

2

Normal position

Two circuit universal

Style

Through feed

Trade size

1"

Material

Feraloy iron alloy

Resources

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EDS/EDSX Hazardous Area Control Stations catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

Installation instructions

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

IF 372 - EDS Notice

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

Specifications and datasheets

Eaton Specification Sheet - EDSC3290



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia