Product specifications

Eaton FPS332



Catalog Number: FPS332

Eaton Crouse-Hinds series Pauluhn Intrepid FPS linear fluorescent light fixture, One non-metallic cable gland and one end plugged,4 ft,Matte polycarbonate lens,T8 bi-pin,Fiberglass-reinforced polyester,3-lamp,Through feed,120-277 Vac,32W

General specifications

Product Name
Eaton Crouse-Hinds series Pauluhn Intrepid FPS linear fluorescent light fixture

Catalog Number
FPS332

UPC
662276396401

Product Length/Depth
52.8 in

Product Height
5 in

Product Width
7.63 in

Product Weight
17 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type

NEC/CEC

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Material

Fiberglass-reinforced polyester

Number of lamps

3-lamp

Lamp length

4 ft

Light type

T8 bi-pin

Wattage

32W

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Style

Through feed

Entry type

One non-metallic cable gland and one end plugged

Lens material

Matte polycarbonate

Resources

3D models

Eaton Crouse-Hinds FPS332 3D drawing

Brochures

Crouse-Hinds series Pauluhn Intrepid Industrial Linear Fluorescent brochure

Catalogs

Crouse-Hinds series Pauluhn Intrepid Industrial Linear Fluorescent catalog page

Installation instructions

IF LBL1370 - Pauluhn Intrepid Industrial Linear Fluorescent

Specifications and datasheets

Eaton Specification Sheet - FPS332

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia