


Eaton CE55FN3BB

Catalog Number: CE55FN3BB

Eaton XT IEC contactor, 32A, 220-240 Vac, 50-60 Hz, 1NC, 32A, Frame F, 90 mm, 50-60 Hz, 5 hp, Top mounted auxiliary contacts, Three-pole, Reversing, No overload relay, Freedom, Contactor

General specifications



Product Name

Eaton XT IEC contactor

Catalog Number

CE55FN3BB

UPC

782113411781

Product Length/Depth

3.28 in

Product Height

2.96 in

Product Width

4.2 in

Product Weight

2.25 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

ISO 9000
DIN VDE 0600

Certifications

CSA Certified
IEC Rated
UL Listed

Catalog Notes

No enclosure

[Amperage Rating](#)

32A

[HP rating - max](#)

5 hp

[Number Of Poles](#)

Three-pole

[Type](#)

Contactor

[Frequency rating](#)

50-60 Hz

[Frame size](#)

90 mm

[Coil voltage](#)

220-240 Vac, 50-60 Hz

[Contact configuration](#)

1 NC

[Continuous ampere rating](#)

32 A

[Relay](#)

No overload relay

[Series](#)

Freedom

[Operation](#)

Reversing

[Mounting method](#)

Top mounted auxiliary contacts

[Catalogs](#)[Eaton's Volume 5—Motor Control and Protection](#)[Motor Starters and Contactors — Low Voltage Catalog](#)[Specifications and datasheets](#)[Eaton Specification Sheet - CE55FN3BB](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)