Product specifications

Eaton DCU1103UPM

Catalog Number: DCU1103UPM

Eaton Heavy duty DC disconnect, 100 A, NEMA 4, Painted steel, Non-fusible, Ungrounded, #14-1/0 AWG lug capacity, #14-1/0 AWG solid return, 1, DC photovoltaic applications, Rating:1000 Vdc



General specifications

Product Name
Eaton heavy duty DC disconnect

Catalog Number
DCU1103UPM

UPC
786685557953

Product Length/Depth
10.22 in

Product Height
24.95 in

Product Width
11.79 in

Product Weight
24 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
UL 98B
NEC 690 per UL 1741

Catalog Notes
Not all configurations for ampere rating and number of circuits are available. All circuit configurations can be found in the product dimension tables.

Powering Business Worldwide

Product specifications

Switch type
Heavy duty

Ground
Ungrounded

Fuse configuration
Non-fusible

Enclosure
NEMA 4

Amperage Rating
100 A

Enclosure material
Painted galvanized steel

Series
DC photovoltaic applications

Type
DC disconnect/ungrounded system

System voltage
1000 VDC

Main lug wire size
#14-1/0 AWG lug capacity, #14-1/0 AWG solid return

Number of circuits
1

Voltage rating
1000 VDC

Protection
Non-fusible

Application
Solar

Resources

Brochures
DC disconnects for grounded and ungrounded photovoltaic installations

Multimedia
Double Up on Safety

Switching Devices Flex Center

Specifications and datasheets
Eaton Specification Sheet - DCU1103UPM



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia