Product specifications

Eaton 14043PMURF

Catalog Number: 14043PMURF

Eaton LV Unipak capacitor bank, UNIPAK, LV Fixed Capacitor Banks, 168A, 480V, Three-phase, 140 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, NEMA 1, 3R, C2 Frame

General specifications

Product Name Eaton LV Unipak capacitor bank	**Catalog Number** 14043PMURF
UPC 782116058938	**Product Length/Depth** 12 in
Product Height 36 in	**Product Width** 19.32 in
Product Weight 100.1 lb	**Warranty** Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications UL Listed CSA Certified	**Catalog Notes** Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

UNIPAK

Amperage Rating

168A

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity, Fuses mounted on stand-off bushings or fuse blocks, solderless connectors for easy hookup of incoming line conductors.

Phase

Three-phase

Product Category

Low Voltage Fixed Capacitor Banks

Voltage rating

480 V

Enclosure

NEMA 1, NEMA 3R

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

C2

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Protection

Three fuses, three lights

Rating

140 kVAR

Resources

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Specifications and datasheets

Eaton Specification Sheet - 14043PMURF

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia