Product specifications

Eaton 7X23PMURF

Catalog Number: 7X23PMURF

Eaton LV Unipak capacitor bank, UNIPAK, Low Voltage Fixed Capacitor Banks, 18A, 240V, Three-phase, 7.5 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, A2 Frame



General specifications

Product Name
Eaton LV Unipak capacitor bank

Catalog Number
7X23PMURF

UPC
782116058280

Product Length/Depth
5.954 in

Product Height
22.3 in

Product Width
8.5 in

Product Weight
30 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
UL Listed
CSA Certified

Catalog Notes
Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

UNIPAK

Amperage Rating

18A

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity

Phase

Three-phase

Product Category

Low Voltage Fixed Capacitor Banks

Voltage rating

240V

Enclosure

NEMA 1, NEMA 3R

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

A2

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Protection

Three fuses, three lights

Rating

7.5 kVAR

Resources

Brochures

Low voltage fixed and switched capacitor banks

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Specifications and datasheets

Low Voltage Power Factor Correction Capacitor Banks and Harmonic Filters

Eaton Specification Sheet - 7X23PMURF



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia