Product specifications

Eaton BAB2030HT

Catalog Number: BAB2030HT

Eaton BAB thermal magnetic circuit breaker,Quicklag industrial thermal-magnetic circuit breaker,Bolt-on mounting, 50° C Calibration,30 A,10 kAIC,Two-pole,240 V,Non-Interchangeable,Q7,BAB

General specifications

Product Name
Eaton BAB thermal magnetic circuit breaker

Catalog Number
BAB2030HT

UPC
782114288030

Product Length/Depth
2 in

Product Height
2 in

Product Width
2 in

Product Weight
0.3 lb

Warranty
1 year

Certifications
CSA Certified
UL Listed

Catalog Notes
HACR rated

Powering Business Worldwide

Physical Attributes

Circuit breaker type

BAB

Mounting Method

Bolt-on

Number of poles

Two-pole

Terminals

Ring or spade lug

Type

Quicklag industrial thermal-magnetic circuit breaker

Performance Ratings

Amperage Rating

30 A

Interrupt rating

10 kAIC

Trip Type

Non-Interchangeable

Voltage rating

240 V - 240 V

Miscellaneous

Quantity

7

Special features

Bolt-on mounting

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 4—Circuit Protection

Multimedia

Circuit Breakers Explained

Specifications and datasheets

Eaton Specification Sheet - BAB2030HT

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia