
Product specifications

Eaton CE55BN3AB

Catalog Number: CE55BN3AB

Eaton XT IEC contactor, 10A, 110-120 Vac, 50-60 Hz, 1NC, 10A, Frame B, 45 mm, 50-60 Hz, 0.5 hp, Top mounted auxiliary contacts, Three-pole, Reversing, No overload relay, Freedom, Contactor



General specifications

Product Name
Eaton XT IEC contactor

Catalog Number
CE55BN3AB

UPC
782113779829

Product Length/Depth
3.28 in

Product Height
2.96 in

Product Width
4.2 in

Product Weight
2.55 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
ISO 9000
DIN VDE 0600

Certifications
CSA Certified
IEC Rated
UL Listed

Catalog Notes
No enclosure

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Amperage Rating

10A

HP rating - max

0.5 hp

Number Of Poles

Three-pole

Type

Contactor

Frequency rating

50-60 Hz

Frame size

45 mm

Coil voltage

110-120 Vac, 50-60 Hz

Contact configuration

1 NC

Continuous ampere rating

10 A

Relay

No overload relay

Series

Freedom

Operation

Reversing

Mounting method

Top mounted auxiliary contacts

Resources

Catalogs

Eaton's Volume 5—Motor Control and Protection

Specifications and datasheets

Eaton Specification Sheet - CE55BN3AB



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia