


Eaton CE55FN3AB

Catalog Number: CE55FN3AB

Eaton XT IEC contactor, 32A, 110-120 Vac, 50-60 Hz, 1NC, 32A, Frame F, 90 mm, 50-60 Hz, 2 hp, Top mounted auxiliary contacts, Three-pole, Reversing, No overload relay, Freedom, Contactor

General specifications



Product Name

Eaton XT IEC contactor

UPC

782113780184

Product Height

2.96 in

Product Weight

2.25 lb

Catalog Number

CE55FN3AB

Product Length/Depth

3.28 in

Product Width

4.2 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

DIN VDE 0600
ISO 9000

Certifications

UL Listed
CSA Certified
IEC Rated

Catalog Notes

No enclosure

[Amperage Rating](#)

32A

[HP rating - max](#)

2 hp

[Number Of Poles](#)

Three-pole

[Type](#)

Contactor

[Frequency rating](#)

50-60 Hz

[Frame size](#)

90 mm

[Coil voltage](#)

110-120 Vac, 50-60 Hz

[Contact configuration](#)

1 NC

[Continuous ampere rating](#)

32 A

[Relay](#)

No overload relay

[Series](#)

Freedom

[Operation](#)

Reversing

[Mounting method](#)

Top mounted auxiliary contacts

[Catalogs](#)[Eaton's Volume 5—Motor Control and Protection](#)[Motor Starters and Contactors — Low Voltage Catalog](#)[Specifications and datasheets](#)[Eaton Specification Sheet - CE55FN3AB](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)