Product specifications

Eaton D7PF2AA1

Catalog Number: D7PF2AA1

D7 Series General Purpose Plug-In Relay, Full featured cover, 110/125 Vdc coil, 11,000 Ohms resistance, Plug-in terminal, DPDT contact configuration, 15A contact rating, Silver alloy contacts, IP40 enclosure



General specifications

Product Name
Eaton General-purpose relay

Catalog Number
D7PF2AA1

UPC
782116484744

Product Length/Depth
1.54 in

Product Height
0.83 in

Product Width
1.1 in

Product Weight
0.1 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
RoHS Compliant

Certifications
cRUus
UL Listed file E65657
UL Listed file E37317
CSA file No. LR217017
CSA file No. LR217069

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

General-purpose relay

Cover

Full featured

Options

LED test button, flag indicator, lock-down door, finger-grip cover, ID tag

Coil voltage

110/125 Vdc

Contact configuration

DPDT

Contact material

Silver alloy

Contact rating

15 A

Enclosure

IP40

Resistance

11,000 Ω

Series

D7

Terminals

Plug-in

Voltage - max

300 V switching

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Drawings

D7_F2 3D Model Xchange

D7_F2 AutoCAD 2D Footprint

D7_F2 2D PDF

D7_F2 AutoCAD 2D Footprint (mm)

D7_F2 2D Drawing Xchange

D7_F2 3D Inventor

Specifications and datasheets

Eaton Specification Sheet - D7PF2AA1



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia