

Eaton E34GDB97LRD24-1X

Catalog Number: E34GDB97LRD24-1X

Eaton 30.5 mm Corrosion Resistant Push-Pull Unit,Class I Division 2,Standard Actuator,Green,Plastic bus,1NO-1NC,Illuminated,LED, full voltage,24 Vac/Vdc Light Unit,Two-position,Momentary push and pull,40 mm button,E34 Series

General specifications



Photo is representative

Product Name
Eaton E34 pushbutton

UPC
782114720974

Product Height
2 in

Product Weight
0.36 lb

Compliances
FDA 3-A
CE Marked

Catalog Notes
Assembled at Factory

Catalog Number
E34GDB97LRD24-1X

Product Length/Depth
4.2 in

Product Width
2.2 in

Warranty
1 year

Certifications
UL Listed
CSA Certified

defaultTaxonomyAttributeLabel

Type

Class I Division 2

Actuator color

Red

Bus material

Plastic

Actuator

Standard

Operating mode

Pull: momentary

Push: momentary

Contact configuration

1 NO-1 NC

Illumination

Illuminated

Series

E34

Light unit type

LED, full voltage

Light unit voltage

24 Vac/dc

Number of positions

2

Rating

NEMA 4X

NEMA 12

NEMA 13

NEMA 3R

NEMA 4

NEMA 3

NEC Class I Division 2, Groups B, C and D

Size

40 mm

Resources

Brochures

[10250T and E34 Class I Division 2](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Multimedia

[How to size and select a Power Supply](#)

Specifications and datasheets

[Cam selection for pushbutton selectors](#)

[Eaton Specification Sheet - E34GDB97LRD24-1X](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)