Product specifications

Eaton E34GDB97LED24-1X

Catalog Number: E34GDB97LED24-1X

E34, 30.5 mm, Corrosion Resistant, 40 mm, NEMA 3, 3R, 4, 4X, 12, 13, Illuminated, Two-position, Maintained push and pull, Standard, Red actuator, Plastic bus, LED, full voltage light unit, 1NO-1NC, 24 Vac/dc light unit



General specifications

Product Name
Eaton E34 pushbutton

Catalog Number
E34GDB97LED24-1X

UPC
782114720981

Product Length/Depth
1 in

Product Height
1 in

Product Width
1 in

Product Weight
0.1 lb

Warranty
1 year

Compliances
CE Marked
FDA 3-A

Certifications
CSA Certified
UL Listed

Catalog Notes
Assembled at Factory

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

30.5 mm, Corrosion Resistant

Actuator color

Red

Bus material

Plastic

Actuator

Standard

Operating mode

Push: maintained

Pull: maintained

Contact configuration

1 NO-1 NC

Illumination

Illuminated

Series

E34

Light unit type

LED, full voltage

Light unit voltage

24 Vac/dc

Number of positions

2

Rating

NEMA 3

NEMA 4X

NEMA 3R

NEMA 13

NEMA 4

NEMA 12

Size

40 mm

Resources

Brochures

10250T and E34 Class I Division 2

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Cam selection for pushbutton selectors

Eaton Specification Sheet - E34GDB97LED24-1X



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia