Product specifications

Eaton E50BS36P35

Catalog Number: E50BS36P35

Eaton E50 Heavy Duty Factory Sealed 6P+ Limit Switch,Within 0.003,35ft.(10.7m)Cable,10A at 240Vac,1A at 250Vdc,SOOW-A,2NO-2NC,420Foot,Die Cast Zinc,NEMA 1,3,3S,4,4X,6,6P,13,IP67,IP69K,10A,1A,14° to 201°F,Side Push Roller



General specifications

Product Name	**Catalog Number**
Eaton E50 NEMA heavy duty plug-in limit switch	E50BS36P35
	UPC
	782114791486
Product Length/Depth	**Product Height**
1.54 in	4.67 in
Product Width	**Product Weight**
2.94 in	2.1 lb
Warranty	**Compliances**
1 year	CE Marked
Certifications	**Catalog Notes**
CSA Certified UL Listed	Roller can be converted in the field between horizontal and vertical

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Contact Rating

10A at 240Vac, 1A at 250Vdc

Cable type

SOOW-A

Accuracy

Within 0.003

Enclosure material

Die cast zinc

Cord length

420 ft

Connection

35 ft (10.7m) cable

Contact configuration

2 NO-2 NC

Switch type

Side push roller

Operating temperature - max

201 °F

Operating temperature - min

14 °F

Environmental rating

NEMA 1, NEMA 3, NEMA 3S, NEMA 4, NEMA 4X, NEMA 6, NEMA 6P, NEMA 13, IP67, IP69K

Maximum AC current

10 A

Maximum DC current

1 A

Resources

Catalogs

Eaton's Volume 8—Sensing Solutions

Specifications and datasheets

Eaton Specification Sheet - E50BS36P35



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia