

Eaton EMAT08-10

Catalog Number: EMAT08-10

Eaton Managed rack PDU, 1U, 5-15P input, 1.44 kW max, 120V, 12A, 10 ft cord, Single-phase, Outlets: (8) 5-15R

General specifications

Product Name	Catalog Number
Eaton Managed Rack PDU	EMAT08-10
UPC	Product Length/Depth
743172082657	19 in
Product Height	Product Width
8 in	1.69 in
Product Weight	Warranty
6.9 lb	3 year
Compliances	Certifications
Contact Manufacturer	UL Listed



defaultTaxonomyAttributeLabel

Type

ePDU

Form factor

1U

Outlet control

Yes

Accessories

Yes

Package contents

Yes

Operating Temperature

0° to 60°C (32° to 140°F)

Mounting direction

Horizontal

Color

Black

Input connection

5-15P

Cord length

10 ft

Wattage

1.44 kW max

Amperage Rating

12A

Input voltage

120V

Phase

Single-phase

Frequency rating

50-60 Hz

Outlets

(8) 5-15R

Number of Outputs 5-15R

8

Series

Resources

Certification reports

Eaton ePDU certificate of volatility

Eaton RoHS Declaration of Conformity: ePDU G3

Drawings

Eaton ePDU Managed EMAT08-10 technical drawing

Eaton Advanced Monitored and Managed ePDU visio stencil

Manuals and user guides

Eaton ePDU G3 1U and 2U installation addendum

Eaton ePDU G3 instruction set - system objects

Eaton ePDU G3 replace and configure eNMC module

Eaton Double-wide G3 ePDU installation and connectivity quick start guide

Eaton ePDU G3 operations manual

Specifications and datasheets

Eaton Specification Sheet - EMAT08-10



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)