Product specifications

Eaton GHC2040

Catalog Number: GHC2040

Eaton Series C complete molded case circuit breaker, G-frame, GHC, Complete breaker, Fixed thermal, fixed magnetic trip type, Two-pole, 40A, 480Y/277 Vac, 125/250 Vdc, 65 kAIC at 240 Vac, 14 kAIC at 480Y/277 Vac, 50/60 Hz

General specifications

Product Name	Catalog Number
Eaton Series C complete molded case circuit breaker	GHC2040
	UPC
	786679174128
Product Length/Depth	Product Height
2.63 in	4.88 in
Product Width	Product Weight
2 in	1.2 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	UL Listed

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Amperage Rating

40 A

Voltage rating

480Y/277 Vac, 125/250 Vdc

Trip Type

Fixed thermal, fixed magnetic

Circuit breaker type

GHC

Circuit breaker frame type

Complete breaker

Series

Series C

Frame

G

Frequency rating

50/60 Hz

Interrupt rating

65 kAIC at 240 Vac

14 kAIC at 480Y/277 Vac

Number of poles

Two-pole

Resources

Application notes

UL listed 100%-rated molded case circuit breakers

Application of Tap Rules to Molded Case Breaker Terminals

Application of Multi-Wire Terminals for Molded Case Circuit Breakers

Brochures

Circuit breaker motor operators product aid

Power metering and monitoring with Modbus RTU product aid

Motor protection circuit breakers product aid

StrandAble terminals product aid

Plug-in adapters for molded case circuit breakers product aid

Multi-wire lugs product aid

MOEM MCCB Product Selection Guide

Current limiting Series C molded case circuit breakers product aid

Breaker service centers

Catalogs

Molded case circuit breakers catalog

Eaton's Volume 4—Circuit Protection

Drawings

G-frame Molded Case Circuit Breaker Drawing

Installation instructions

Series C GB/GHB/GDB Circuit Breakers - IL

Series C GC/GHC Circuit Breaker - IL

Multimedia

Circuit Breakers Explained

Circuit breakers explained

Specifications and datasheets

Series C J-Frame molded case circuit breakers time current curves

MOEM MCCB product selection guide

Series C G-Frame molded case circuit breakers time current curves

Series C G-Frame Time Current Curves

Series C F-Frame molded case circuit breakers

Eaton Specification Sheet - GHC2040

Time/current curves

Type GHB/GHC/GD/GPS 2 and 3-pole, 15-100A Time Curve

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia