

Eaton GD3060D

Catalog Number: GD3060D

Eaton Series C complete molded case circuit breaker, G-frame, GD, Fixed thermal, fixed magnetic trip, Three-pole, 60A, 480 Vac, 125/250 Vdc, 65 kAIC at 240 Vac, 22 kAIC at 480 Vac, Line and load, 50/60 Hz, Ring type, Ring type



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Series C complete molded case circuit breaker	GD3060D
	UPC
	782114345795
Product Length/Depth	Product Height
2.63 in	4.88 in
Product Width	Product Weight
3 in	2.1 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

defaultTaxonomyAttributeLabel

Amperage Rating

60 A

Voltage rating

480 Vac, 125/250 Vdc

Trip Type

Fixed thermal, fixed magnetic

Circuit breaker type

GD

Circuit breaker frame type

Complete breaker

Series

Series C

Terminals

Line and load

Frame

G

Frequency rating

50/60 Hz

Line

Ring type

Prod load

Ring type

Rating plug

Binding head screws and clamps

Interrupt rating

65 kAIC at 240 Vac

22 kAIC at 480 Vac

Number of poles

Three-pole

Resources

Application notes

UL listed 100%-rated molded case circuit breakers

Application of Multi-Wire Terminals for Molded Case Circuit Breakers

Application of Tap Rules to Molded Case Breaker Terminals

Brochures

Circuit breaker motor operators product aid

Motor protection circuit breakers product aid

Current limiting Series C molded case circuit breakers product aid

Multi-wire lugs product aid

MOEM MCCB Product Selection Guide

Plug-in adapters for molded case circuit breakers product aid

Power metering and monitoring with Modbus RTU product aid

StrandAble terminals product aid

Breaker service centers

Catalogs

Molded case circuit breakers catalog

Eaton's Volume 4—Circuit Protection

Drawings

G-frame Molded Case Circuit Breaker Drawing

Installation instructions

Installation Instructions for GD/GWF Molded Case Circuit Breakers and Switches

Multimedia

Circuit Breakers Explained

Circuit breakers explained

Specifications and datasheets

Series C F-Frame molded case circuit breakers

Eaton Specification Sheet - GD3060D

MOEM MCCB product selection guide

Series C G-Frame molded case circuit breakers time current curves

Series C J-Frame molded case circuit breakers time current curves

Series C G-Frame Time Current Curves

Time/current curves

Type GHB/GHC/GD/GPS 2 and 3-pole, 15-100A Time Curve



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia