

Eaton JDC3250F

Catalog Number: JDC3250F

Eaton Series C molded case circuit breaker frame, Series C, J-frame molded case circuit breaker frame, 250 A, Three-pole, Non-interchangeable thermal magnetic trip, JDC breaker



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Series C molded case circuit breaker frame	JDC3250F
	UPC
	786679516393
Product Length/Depth	Product Height
4.06 in	4.13 in
Product Width	Product Weight
4.13 in	9.15 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

defaultTaxonomyAttributeLabel

Type

Frame only

Amperage Rating

250 A

Voltage rating

600 Vac, 250 Vdc

Trip Type

Fixed thermal, fixed magnetic

Circuit breaker type

JDC

Circuit breaker frame type

Frame only

Series

Series C

Frame

J

Frequency rating

50 to 60 Hz

Interrupt rating

100 kAIC at 480 Vac

200 kAIC at 240 Vac

Number of poles

Three-pole

Resources

Application notes

[Application of Tap Rules to Molded Case Breaker Terminals](#)

[UL listed 100%-rated molded case circuit breakers](#)

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

Brochures

[StrandAble terminals product aid](#)

[MOEM MCCB Product Selection Guide](#)

[Circuit breaker motor operators product aid](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[Motor protection circuit breakers product aid](#)

[Multi-wire lugs product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Current limiting Series C molded case circuit breakers product aid](#)

[Breaker service centers](#)

Catalogs

[Molded case circuit breakers catalog](#)

[Eaton's Volume 4—Circuit Protection](#)

Drawings

[J-frame Molded Case Circuit Breaker Drawing](#)

Multimedia

[Circuit breakers explained](#)

[Circuit Breakers Explained](#)

Specifications and datasheets

[MOEM MCCB product selection guide](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

[Series C, J-frame Time Current Curve](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

[Eaton Specification Sheet - JDC3250F](#)

[Series C F-Frame molded case circuit breakers](#)

Time/current curves

[Cutler-Hammer Series C Time-Current Curves for J-Frame Circuit Breakers](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia