Product specifications

Eaton JDB2225

Catalog Number: JDB2225

Eaton Series C complete molded case circuit breaker, J-frame, JDB, Complete breaker, Fixed thermal, fixed magnetic trip, Two-pole, 225A, 600 Vac, 250 Vdc, 65 kAIC at 240 Vac, 35 kAIC at 480 Vac, Aluminum, Line and load, 50/60 Hz

Photo is representative

General specifications

Product Name Eaton Series C complete molded case circuit breaker	Catalog Number JDB2225
	UPC 786679030165
Product Length/Depth 4.06 in	Product Height 4.13 in
Product Width 4.13 in	Product Weight 10.5 lb
Certifications UL Listed	

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Amperage Rating

225 A

Voltage rating

600 Vac, 250 Vdc

Trip Type

Fixed thermal, fixed magnetic

Circuit breaker type

JDB

Circuit breaker frame type

Complete breaker

Series

Series C

Terminals

Line and load

Frame

J

Frequency rating

50 to 60 Hz

Terminal material

Aluminum

Interrupt rating

65 kAIC at 240 Vac

35 kAIC at 480 Vac

Number of poles

Two-pole

Resources

Application notes

Application of Tap Rules to Molded Case Breaker Terminals

UL listed 100%-rated molded case circuit breakers

Application of Multi-Wire Terminals for Molded Case Circuit Breakers

Brochures

Plug-in adapters for molded case circuit breakers product aid

StrandAble terminals product aid

Multi-wire lugs product aid

Current limiting Series C molded case circuit breakers product aid

MOEM MCCB Product Selection Guide

Circuit breaker motor operators product aid

Power metering and monitoring with Modbus RTU product aid

Motor protection circuit breakers product aid

Breaker service centers

Catalogs

Molded case circuit breakers catalog

Eaton's Volume 4—Circuit Protection

Drawings

JDB2 3D Model Xchange

JDB2 2D PDF

JDB2 2D Drawing Xchange

JDB2 3D Inventor

Multimedia

Circuit Breakers Explained

Circuit breakers explained

Specifications and datasheets

Series C F-Frame molded case circuit breakers

Series C, J-frame Time Current Curve

Eaton Specification Sheet - JDB2225

Series C J-Frame molded case circuit breakers time current curves

MOEM MCCB product selection guide

Series C G-Frame molded case circuit breakers time current curves

Time/current curves

Cutler-Hammer Series C Time-Current Curves for J-Frame Circuit Breakers

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia