

Eaton XTCE015B10R

Catalog Number: XTCE015B10R

Eaton XT IEC contactor, 15A, 12 Vac, 50-60 Hz, 1NO, 15A, Frame B, 45 mm, 50-60 Hz, 1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Non-reversing, , Screw terminals, FVNR

General specifications



Photo is representative

Product Name

Eaton XT IEC contactor

EAN

4015081547890

Product Height

1.5 in

Product Weight

0.5 lb

Certifications

UL Listed

CSA Certified

IEC 60947

EN 60947

Catalog Number

XTCE015B10R

Product Length/Depth

3 in

Product Width

3 in

Compliances

RoHS Compliant

CE Marked

Catalog Notes

Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

defaultTaxonomyAttributeLabel

Amperage Rating

15A

HP rating - max

1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @ 115,200,230/200,230,460,575 V)

Number Of Poles

Three-pole

Type

Full voltage non-reversing contactor

Frequency rating

50-60 Hz

Frame size

45 mm

Terminals

Screw terminals

Coil voltage

12 Vac, 50-60 Hz

Contact configuration

1 NO

Continuous ampere rating

15 A

Series

XT IEC

Operation

Non-reversing

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTCE_B 2D Drawing Xchange](#)

[XTCE_B AutoCAD 2D Footprint](#)

[XTCE_B 3D Inventor](#)

[XTCE_B 2D PDF](#)

[XTCE_B 3D Model Xchange](#)

Specifications and datasheets

[Eaton Specification Sheet - XTCE015B10R](#)

[Global Data Sheet - XTCE015B10R](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)