Specifications

Eaton HVX007A2-4A1B1B4CAD3

Catalog Number: HVX007A2-4A1B1B4CAD3

HVX 9000 IS Drive-Standard, 7.5 hp, Software, NEMA 12, 480 (380-500)V, Keypad, Input opts: 3-phase, EMC H, BC, Std boards, Ext I/O card: 1AI 2 AO 6 DI, 1 ext +24V DC/EXT +24V DC, Comm: Johnson Controls N2, RS-232 D9 Connection, FR 4, 12A



General specifications

Product Name
Eaton HVX9000 variable frequency drive

Catalog Number
HVX007A2-4A1B1B4CAD3

UPC
782116208760

Product Length/Depth
7.5 in

Product Height
12.9 in

Product Width
5 in

Product Weight
11 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
UL Listed

Powering Business Worldwide

Product specifications

Brake chopper

Brake chopper

Extended I/O card

1AI (mA isolated), 2 AO (mA isolated), 6 DI, 1 ext +24V DC/EXT +24V DC

Modification

Standard boards

Amperage Rating

12A

Horsepower

7.50 hp

Type

HVX 9000 Open Drive

Voltage rating

480 (380-500) V

Frame size

FR4

Keypad

Alphanumeric

Input

Three-phase
EMC H

Enclosure

NEMA 12

Communication

Johnson Controls N2, RS-232 with D9 Connection

Software

Standard

Resources

Brochures

Variable frequency drive - Product overview

Specifications and datasheets

HVX9000 AF Drives User Manual

Eaton Specification Sheet - HVX007A2-4A1B1B4CAD3



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia