

# Eaton TWR270W

Catalog Number: TWR270W

Eaton residential grade duplex receptacle, #14-10 AWG, 15A, Commercial, Residential, Flush, 125V, Side and push, White, Brass, Weather resistant, Impact-resistant thermoplastic, 5-15R, Duplex, Screw, Thermoplastic, Core pack



## General specifications

|                                           |                       |
|-------------------------------------------|-----------------------|
| <b>Product Name</b>                       | <b>Catalog Number</b> |
| Eaton residential grade duplex receptacle | TWR270W               |
|                                           | <b>UPC</b>            |
|                                           | 032664667121          |
| <b>Product Length/Depth</b>               | <b>Product Height</b> |
| 1.31 in                                   | 4.19 in               |
| <b>Product Width</b>                      | <b>Product Weight</b> |
| 0.69 in                                   | 0.155 lb              |
| <b>Certifications</b>                     |                       |
| cULus Listed                              |                       |
| NOM                                       |                       |

## Product specifications

### Device type

Receptacle

### Type

Duplex receptacle

### Amperage Rating

15A

### Voltage rating

125V

### Contact material

Brass

### Features

Tamper resistant

Weather resistant

### Application

Commercial/residential

### Device grade

Standard grade

### Wiring method

Side and push

### Environmental conditions

Damp/wet

### Number of wires

3

### Mounting method

Flush

### Number Of Poles

Two-pole

### Style type

Standard

### Material

Thermoplastic

### Packaging type

Core pack

### Environmental resistance

Weather resistant

## Resources

### Multimedia

[Residential straight blade receptacles](#)

### Specifications and datasheets

[Eaton Specification Sheet - TWR270W](#)

[Arrow Hart weather resistant and tamper and weather resistant receptacles spec sheet](#)

Color

White

Connection type

Screw

Allowable wire size

#14-10 AWG (Copper OR Copper Clad Aluminum Only)

NEMA configuration

5-15R

Torque rating

14 lbf-inch

Design type

Straight blade

Face/body material

Impact-resistant thermoplastic

Receptacle type

Duplex



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)