SIEMENS

3LD9200-5BF **Data sheet**



Auxiliary switch, 1 NO+1 NC, with gold-plated contacts, accessory for main and emergency switching-off 3LD2 front mounting and for molded case switch 3LD5 UL

Model	
product brand name	SENTRON
product designation	auxiliary switch
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches, front mounting
operational current	
 at AC-15 at 110 V rated value 	6 A
 at AC-15 at 230 V rated value 	3 A
 at AC-15 at 500 V rated value 	1.4 A
 at DC-13 at 24 V rated value 	4 A
suitability for use	for 3LD2 front mounting and 3LD5 UL front mounting
special product feature	NO: lagging during switching ON, leading during switching OFF the 3LD switch. NC: leading during switching ON, lagging during switching OFF the 3LD switch
tightening torque with screw-type terminals	
• minimum	0.8 N·m
• maximum	1.2 N·m
type of connectable conductor cross-sections for auxiliary contacts	
• solid	2x (0.75-2.5 mm²), 1x 4 mm²
 finely stranded with core end processing 	2x (0.75-2.5 mm²), 1x 4 mm²
• stranded	2x (0.75-2.5 mm²), 1x 4 mm²
opprovals Certificates	

Approvals Certificates **General Product Approval**













General Product Approval

Environment

Miscellaneous

Miscellaneous

Confirmation

Environmental Confirmations

Environmental Confirmations

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9200-5BF

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


https://support.industry.siemens.com/cs/ww/en/ps/3LD9200-5BF


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9200-5BF

CAx-Online-Generator http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications





last modified:

4/12/2025