
## **Stainless Steel Beam Clamps**



## **Features**

- Manufactured in type 316 stainless steel for superior strength and corrosion resistance
- · Polished with standard "brite" finish
- Type 316 stainless steel set screw included
- · No package quantity required



Material: 316SSHardware: 316SS

• Minimum tensile strength is 485 MPa or 70 Ksi


## **Applications**


This heavy-duty beam clamp is designed for use to provide a means of attachment to a structural member. Used for hanging conduit or cables from a wall or ceiling. Attachment holes are located on the back and bottom.

## **Domestic Ordering**

Trade sizes marked with an \* are also available domestically to meet the Made in America standards. To order the domestic version, add -DOM to the end of the part number.







| Part Number | Trade Size<br>(in) | A<br>(in) | B<br>(in)     | C<br>(in) | D<br>(in) | E<br>(in) | F<br>(in) | Load Rating<br>(lb) | Weight Per Each<br>(lb) |
|-------------|--------------------|-----------|---------------|-----------|-----------|-----------|-----------|---------------------|-------------------------|
| S60200BC00  | 1/4*               | 1/4 - 20  | %6 - 18 x 1.5 | 0.78      | 1.44      | 1.00      | 1.31      | 150                 | 0.22                    |
| S60300BC00  | 3/8*               | 3⁄8 - 16  | ½ - 13 x 1.5  | 0.99      | 1.75      | 1.75      | 1.75      | 750                 | 0.63                    |
| S60500BC00  | 1/2*               | 1/2 - 13  | % - 11 x 1.5  | 0.99      | 2.00      | 2.00      | 2.00      | 1100                | 1.02                    |

All dimensions are for informational purposes only Tolerances +/-2.5%

atkore.com/calbrite CBR-SPEC-7273-2504