Specifications



Photo is representative

Eaton KES3250LS

Eaton molded case circuit breaker accessory trip unit, Trip unit, 250 A, Three-pole, 310+ Electronic LS, Series C

General specifications	
PRODUCT NAME	Eaton molded case circuit breaker accessory trip unit
CATALOG NUMBER	KES3250LS
UPC	786679271100
PRODUCT LENGTH/DEPTH	6.7 in
PRODUCT HEIGHT	4.2 in
PRODUCT WIDTH	5.2 in
PRODUCT WEIGHT	2.9 lb
COMPLIANCES	Contact Manufacturer
GLOBAL CATALOG	KES3250LS
PRODUCT TYPE	Molded case circuit breaker accessory

Powering Business Worldwide

Product specifications

AMPERAGE RATING	250 A
TRIP TYPE	T38
SERIES	Series C
NUMBER OF POLES	Three-pole
TYPE	Trip unit

Resources

APPLICATION NOTES	Application of Multi-Wire Terminals for Molded Case Circuit Breakers Application of Tap Rules to Molded Case Breaker Terminals UL listed 100%-rated molded case circuit breakers
BROCHURES	Multi-wire lugs product aid Circuit breaker motor operators product aid Motor protection circuit breakers product aid Current limiting Series C molded case circuit breakers product aid Power metering and monitoring with Modbus RTU product aid Plug-in adapters for molded case circuit breakers product aid StrandAble terminals product aid Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Flex shaft handle installation tutorial
SPECIFICATIONS AND DATASHEETS	MOEM MCCB product selection guide Series C J-Frame molded case circuit breakers time current curves Series C F-Frame molded case circuit breakers Series C G-Frame molded case circuit breakers time current curves Eaton Specification Sheet - KES3250LS

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.