
Product data sheet

Specifications



TeSys Deca - extended rotary handle black - IP54

GV4APN01

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	TeSys TeSys Deca
Product or Component Type	Rotary handle kit
Accessory / separate part category	Control accessory
Rotary handle mounting style	Extended
Handle colour	Black
Handle front plate colour	Black
Marking	OFF - Trip - ON
Rotary handle padlocking	Padlock in ON position 1 to 3 padlocks Padlock in OFF position

Complementary

Range compatibility	TeSys TeSys GV4 TeSys TeSys BV4 TeSys TeSys Deca
Mounting Mode	Fixed
Mounting Location	Door of enclosure
Locking options description	1 to 3 padlocks Ø 4 to Ø 8
Back/door distance	8.4…24.7 in (214…627 mm)

Environment

IP Degree of Protection	IP54

Ordering and shipping details

Category	US1CTR121253
Discount Schedule	CTR1
GTIN	3606485444734
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.543 in (9.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	3.543 in (9.000 cm)
Package 1 Length	18.071 in (45.900 cm)
Package weight(Lbs)	23.598 oz (669.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	19.346 lb(US) (8.775 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**6 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**4 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.1 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.3 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**2 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
SCIP Number	**Ab9dc4da-002c-433d-9974-4b46c472d129**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
Halogen content performance	**Halogen free plastic parts product**

Use Again

Repack and remanufacture

Recyclability potential, in %	**65**
Circularity Profile	**End of Life Information**
Take-back	**No**

Image of product / Alternate images

Alternative








ON
OFF