

Product data sheet

Specifications



Auxiliary contact, Multi9, 1C/O, 1A to 6A, 220VAC to 415VAC, 24VDC to 130VDC, top connection, for RCCB only

26923

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

range of product	Multi9
Product or Component Type	OC contact
Device short name	OFS
Signal contacts composition	1 C/O
Line Rated Current	AC-12 3 A at 380...415 V, AC 50/60 Hz AC-12 6 A at 220...240 V, AC 50/60 Hz DC-12 1 A at 130 V, DC DC-12 1.5 A at 60 V, DC DC-12 2 A at 48 V, DC DC-12 6 A at 24 V, DC
9 mm pitches	1
Standards	EN/IEC 60947-5-1 EN 62019-2
Product Certifications	NEMKO DEMKO SEMKO CEBEC FIMKO

Complementary

Range compatibility	Multi9 C60BP Multi9 C60BPR Multi9 C60SP Multi9 GFP Multi9 C60H-DC
Mounting Mode	Fixed
Mounting Support	DIN rail
Comb busbar and distribution block compatibility	Top YES
Height	3.3 in (84 mm)
Width	0.4 in (9 mm)
Depth	2.9 in (73 mm)
Connections - terminals	Clamp terminal: 2 cable(s) 0.002 in ² (1.5 mm ²) - flexible Clamp terminal: 2 cable(s) 0.002 in ² (1.5 mm ²) - rigid Clamp terminal: 1 cable(s) 0.0008...0.004 in ² (0.5...2.5 mm ²) - flexible Clamp terminal: 1 cable(s) 0.0008...0.004 in ² (0.5...2.5 mm ²) - rigid
Wire stripping length	0.4 in (9 mm)
Tightening torque	8.9 lbf.in (1 N.m)

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

IP degree of protection	IP20 conforming to EN/IEC 60947-5-1
Pollution degree	3 EN/IEC 60947-5-1
Tropicalisation	2 EN/IEC 60947-5-1
Relative humidity	95 % 131 °F (55 °C)
Ambient Air Temperature for Operation	-13...122 °F (-25...50 °C)
Ambient Air Temperature for Storage	-40...185 °F (-40...85 °C)

Ordering and shipping details

Category	US10DE201078
Discount Schedule	0DE2
GTIN	3303430269236
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.1 in (8 cm)
Package 1 Width	0.8 in (2 cm)
Package 1 Length	3.7 in (9.5 cm)
Package weight(Lbs)	1.5 oz (43 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Height	3.5 in (9 cm)
Package 2 Width	3.9 in (10 cm)
Package 2 Length	10.04 in (25.5 cm)
Package 2 Weight	20.6 oz (584 g)
Unit Type of Package 3	S03
Number of Units in Package 3	108
Package 3 Height	11.8 in (30 cm)
Package 3 Width	11.8 in (30 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	12.553 lb(US) (5.694 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.8 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.5 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	29
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.