

Product data sheet

Specifications



Pilot light head, Harmony 9001SK, plastic, without cap, 30mm, 110...120V

9001SKP1

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|--|
| Range of Product | Harmony 9001SK |
| Product or Component Type | Head for pilot light |
| Light block supply | Via transformer 110 V AC 50/60 Hz Via transformer 120 V AC 50/60 Hz |

Complementary

| | |
|------------------------------|--------------------------|
| Bezel material | Plastic |
| Mounting diameter | 1.2 in (30 mm) |
| Shape of signaling unit head | Round |
| Cap/operator or lens colour | Without cap |
| Bulb base | BA 9s |
| Operating Mode | Normal |
| [Us] rated supply voltage | 110...120 V |
| Light block supply | Via integral transformer |
| Supply frequency | 50...60 Hz |
| Size | 30 mm |
| Light source | Incandescent bulb |

Environment

| | |
|-------------------------|-----------|
| Protective treatment | TC |
| IP Degree of Protection | IP65/IP66 |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CS121429 |
| Discount Schedule | 0CS1 |
| GTIN | 785901458241 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|---------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.800 in (4.572 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|----------------------------|
| Package 1 Width | 2.200 in (5.588 cm) |
| Package 1 Length | 3.600 in (9.144 cm) |
| Package weight(Lbs) | 5.760 oz (163.300 g) |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 16 |
| Package 2 Height | 5.906 in (15.000 cm) |
| Package 2 Width | 5.906 in (15.000 cm) |
| Package 2 Length | 15.748 in (40.000 cm) |
| Package 2 Weight | 6.202 lb(US) (2.813 kg) |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 512 |
| Package 3 Height | 29.528 in (75.000 cm) |
| Package 3 Width | 23.622 in (60.000 cm) |
| Package 3 Length | 31.496 in (80.000 cm) |
| Package 3 Weight | 216.075 lb(US) (98.010 kg) |

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 18 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Offer Marketing Illustration

Product benefits / Features

Features
Harmony 9001SK



- 

Improved security thanks to finger-safe contact blocks and light modules
- 

Single screw Contact Block Fastening
- 

Robustness to withstand the harshest environments
- 

Automatic self-grounding operators without additional wiring
- 

Large metal set of accessories to customize your product

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony 9001SK

