# Product data sheet

Specifications



## fuse cartridge 5 x 20 - fast blow 1 A - without indication

ABE7FU100

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Modicon ABE7 |
| **Accessory / separate part designation** | Fast blow fuse |
| **Accessory / Separate Part Type** | Fast blow fuse |
| **Accessory / separate part category** | Fuses |
| **Accessory / separate part destination** | Connection sub-base |
| **Quantity per Set** | Set of 10 |

## Complementary

| | |
|---|---|
| **Line Rated Current** | 1 A |
| **Fuse size** | 5 x 20 mm |
| **fuse curve** | Fast blow |
| **Local signalling** | Without |
| **[Ue] rated operational voltage** | 250 V |
| **Product Weight** | 0.02 lb(US) (0.01 kg) |

## Environment

| | |
|---|---|
| **Product Certifications** | UL |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CP222375 |
| **Discount Schedule** | 0CP2 |
| **GTIN** | 3389110602838 |
| **Returnability** | No |
| **Country of origin** | LV |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 0.197 in (0.500 cm) |
| **Package 1 Width** | 0.197 in (0.500 cm) |
| **Package 1 Length** | 0.787 in (2.000 cm) |
| **Package weight(Lbs)** | 0.032 oz (0.900 g) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 10 |
| **Package 2 Height** | 0.394 in (1.000 cm) |
| **Package 2 Width** | 0.984 in (2.500 cm) |
| **Package 2 Length** | 2.756 in (7.000 cm) |
| **Package 2 Weight** | 0.353 oz (10.000 g) |
| **Unit Type of Package 3** | S01 |
| **Number of Units in Package 3** | 100 |
| **Package 3 Height** | 5.906 in (15.000 cm) |
| **Package 3 Width** | 5.906 in (15.000 cm) |
| **Package 3 Length** | 15.748 in (40.000 cm) |
| **Package 3 Weight** | 11.393 oz (323.000 g) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Use Better

#### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |

### Use Longer

#### Lifetime extension

| | |
|---|---|
| Repair | **No** |

### Use Again

#### Repack and remanufacture

| | |
|---|---|
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.** |