Product data sheet

Specifications



Accessory, bolt-on hub, 1.25in, rainproof

B125

Product availability: Stock - Normally stocked in distribution facility

Main

Hub type	B
Product or Component Type	Hub

Complementary

Cable entry	Conduit entry 1.25 in (31.75 mm)
Depth	3.09 in (78.49 mm)
Height	1.4 in (35.6 mm)
Width	4.44 in (112.78 mm)

Environment

Product Certifications	UL Listed

Ordering and shipping details

Category	US1DE1A00032
Discount Schedule	DE1A
GTIN	785901459446
Returnability	Yes
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.500 in (3.810 cm)
Package 1 Width	3.200 in (8.128 cm)
Package 1 Length	4.500 in (11.430 cm)
Package weight(Lbs)	5.600 oz (158.757 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	8.400 in (21.336 cm)
Package 2 Width	4.900 in (12.446 cm)
Package 2 Length	13.500 in (34.290 cm)
Package 2 Weight	3.999 lb(US) (1.814 kg)
Unit Type of Package 3	PAL

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 3	960
Package 3 Height	38.500 in (97.790 cm)
Package 3 Width	40.000 in (101.600 cm)
Package 3 Length	42.000 in (106.680 cm)
Package 3 Weight	430.0010 lb(US) (195.045 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**Fcbb2f4b-148e-498d-b15c-530db69350d4**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again


Repack and remanufacture

Circularity Profile	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Image of product / Alternate images

Alternative


MFG Model Number
B125
1-1/4 in. bolt-on hub, type B size
For use in Square D outdoor electrical panels, CSEDs, and safety switches
UL listed, CSA listed, and ANSI certified


MFG Model Number
B125
3.09 in
1.4 in
4.44 in
Dimensions


Compatible products
1-1/4 in. Bolt-On Hub for Devices with B Openings
MFG Model Number: B125
Compatible for direct mounting on outdoor or N3R Homeline and QO load centers and safety switches with a "B" in the catalog #