

# Product data sheet

Specifications

**SQUARE D**



## Accessory, bolt-on hub, 2.50in, rainproof

B250

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Hub type	B
Product or Component Type	Hub

### Complementary

Cable entry	Conduit entry 2.5 in (63.5 mm)
Depth	3.09 in (78.49 mm)
Height	1.81 in (45.97 mm)
Width	4.44 in (112.78 mm)

### Environment

Product Certifications	UL Listed
------------------------	-----------

### Ordering and shipping details

Category	US1DE1A00032
Discount Schedule	DE1A
GTIN	785901459484
Returnability	Yes
Country of origin	IN

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.900 in (4.826 cm)
Package 1 Width	4.600 in (11.684 cm)
Package 1 Length	6.500 in (16.510 cm)
Package weight(Lbs)	9.760 oz (276.691 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	8.300 in (21.082 cm)
Package 2 Width	5.000 in (12.700 cm)
Package 2 Length	13.700 in (34.798 cm)
Package 2 Weight	6.230 lb(US) (2.826 kg)
Unit Type of Package 3	PAL

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Number of Units in Package 3</b>	1000
<b>Package 3 Height</b>	40.000 in (101.600 cm)
<b>Package 3 Width</b>	40.000 in (101.600 cm)
<b>Package 3 Length</b>	48.000 in (121.920 cm)
<b>Package 3 Weight</b>	623.0004 lb(US) (282.588 kg)

---

## **Contractual warranty**

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	Fcbb2f4b-148e-498d-b15c-530db69350d4
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>

### Use Longer

#### Lifetime extension

Repair	No
--------	----

### Use Again

#### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

---

MFG Model Number  
**B250**




2-1/2 in. bolt-on hub, type B size

For use in Square D outdoor electrical panels, CSEDs, and safety switches

UL listed, CSA listed, and ANSI certified

MFG Model Number  
**B250**



3.09 in

1.81 in

4.44 in

↑

Dimensions

Compatible products

2-1/2 in. Bolt-On Hub for Devices with B Openings  
MPG Model Number: B250



→

Compatible for direct mounting on outdoor or N3R Homeline and QO load centers and safety switches with a "B" in the catalog #

