

Specification Sheet

Part Number: 151-01531



Inserts snap precisely into the body of Ratchet Clamps, making installation easy.

Added level of insulation reduces bundle movement in addition to protecting cables and hoses.

Ratchet Clamp Size B Soft Insert, TPE, Black, 100/bg

|                     |                                                                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 151-01531                                                                                                                                                                        |
| Type                | RCINSERTB                                                                                                                                                                        |
| Color               | Black (BK)                                                                                                                                                                       |
| Quantity Per        | pack                                                                                                                                                                             |
| Product Description | Soft Inserts snap into the body of HellermannTyton's Ratchet Clamps. They provide an added level of protection for sensitive bundles, especially in high-vibration applications. |
| Short Description   | Ratchet Clamp Size B Soft Insert, TPE, Black, 100/bg                                                                                                                             |
| Global Part Name    | RCINSERTB-TPE-BK                                                                                                                                                                 |

|                                |                                  |
|--------------------------------|----------------------------------|
| Fixation Method                | Others                           |
| Variant                        | Rubber profile                   |
| Bundle Diameter Min (Imperial) | 0.34                             |
| Bundle Diameter Min (Metric)   | 8.7                              |
| Bundle Diameter Max (Imperial) | 0.61                             |
| Bundle Diameter Max (Metric)   | 15.5                             |
| Material                       | Thermoplastic Elastomer (TPE)    |
| Material Shortcut              | TPE                              |
| Flammability                   | UL 94 HB                         |
| UV Resistant (Yes/No)          | Yes                              |
| Use Conditions                 | For Indoor Use Only              |
| Plenum Rating                  | AH-2                             |
| Operating Temperature          | -40°F to +194°F (-40°C to +90°C) |
| Reach Compliant (Article 33)   | Yes                              |
| ROHS Compliant                 | Yes                              |

|                             |            |
|-----------------------------|------------|
| UL Listed (US and Canada)   | Yes        |
| UL Listed (US)              | Yes        |
| Package Quantity (Imperial) | 100        |
| Package Quantity (Metric)   | 100        |
| Customs Number              | 3926909988 |

7930 N. Faulkner Road, Milwaukee, WI 53224  
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.  
[Contact Us](#)   [RoHS/WEEE Compliance](#)   [Disclaimer](#)   [Terms and Conditions](#)