

Specification Sheet

Part Number: 556-00250



Compact, lightweight design saves space and is easy to transport.

Integrated cutter cuts continuous media to any length.

Designed to work with TagPrint® Pro label design software for ultimate label printing capabilities.

TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg

Article Number	556-00250
----------------	-----------

Type	TT130SMC
------	----------

Color	Black (BK)
-------	------------

Quantity Per	pack
--------------	------

Product Description	HellermannTyton's TT130SMC thermal transfer printer is made of durable materials for long life in a variety of applications and environments. The compact, portable design makes it ideal for transporting to work sites. HellermannTyton thermal transfer printers work flawlessly with HellermannTyton TagPrint® Pro label printing software to create customized labels. An integrated cutter cuts continuous label media and an optional caddy holds larger label stock reels to allow higher capacity printing.
---------------------	--

Short Description	TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg
-------------------	--

Global Part Name	TT130SMC-PL-BK
Length L (Imperial)	10.75
Length L (Metric)	273.05
Width W (Imperial)	5.5
Width W (Metric)	139.7
Height H (Imperial)	6.98
Height H (Metric)	177.29
Material	Plastic (PL)
Material Shortcut	PL
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

UL Listed (US and Canada)	Yes
UL Listed (US)	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8443321050

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)