Product data sheet

Specifications



additional output module, Altivar, relay output, 24 to 30V DC, 1 screw terminal

VW3A3204

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Additional output module
Range Compatibility	Altivar Machine ATV340 Easy Altivar 610 Altivar Process ATV900 Altivar Process ATV600
Input/Output Type	3 relay output
Discrete output number	3
Discrete output type	R4, R5, R6) relay normally open 1 ms

Complementary

Electrical durability	100000 cycles
Minimum switching current	5 mA 24 V DC
Maximum switching current	2 A 250 V AC inductive, cos phi = 0.4 5 ms 2 A 30 V DC inductive, cos phi = 0.4 5 ms 5 A 250 V AC resistive, cos phi = 1 5 ms 5 A 30 V DC resistive, cos phi = 1 5 ms
Electrical connection	Screw terminal block, 1.5 mm² / AWG 16, 4.4 lbf.in (0.5 N.m)
Product Weight	0.9 lb(US) (0.4 kg)

Ordering and shipping details

Category	US1CP4E22207
Discount Schedule	CP4E
GTIN	3606480702532
Returnability	Yes
Country of origin	ID

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.6 in (6.5 cm)
Package 1 Width	5.1 in (13.0 cm)
Package 1 Length	7.5 in (19.0 cm)
Package weight(Lbs)	5.4 oz (152.0 g)
Unit Type of Package 2	S03
Number of Units in Package 2	16

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	6.865 lb(US) (3.114 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	2a2f2e41-9976-44a1-aaef-cecaebe1de88
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product in real life situation

