

PHILIPS**Lighting**

Specialty Lamps

18.5A21/PER/927/FR/P/E26/3WAY/T20 4/1PF

MasterClass, LED, A21, No, E26D | 3 Contact Medium Screw, 2700 K, 2150 lm, 1600 lm, 620 lm, 15000 hour(s), Plastic

Philips A shape party lamp provides a bright light and color to a wide variety of applications. Ideal for special occasions, parties, and holidays. Philips Dusk to Dawn A19 lamp is equipped with a built-in light sensor that turns the lights on automatically when the sun goes down and turns the light off when the sun rises. Philips 3-Way A shape lamps provides omni-directional light perfect for general room lighting. This lamp creates a comfortable atmosphere by providing 3 wattage levels of soft, white light that will not fade fabrics or furnishings.


Product data

General Information	
Cap-Base	E26D [3 Contact Medium Screw]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
Light Technical	
Color Code	927 [CCT of 2700K]
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	250 degree(s)
Luminous Flux	2,150 1,600 620 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	116 lm/W
Color Consistency	<4
Color rendering index (CRI)	
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	60 Hz
Power Consumption	18.5 13.6 W
Lamp Current (Max)	157 mA
Lamp Current (Min)	54 mA
Wattage Equivalent	150 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	120 V

Specialty Lamps


Temperature	
T-Case Maximum (Nom)	95 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Overall length	133.1 mm
Overall width	70.6 mm
Overall height	133.1 mm
Dimensions (Height x Width x Depth)	133 x 71 x 133 mm
Bulb Shape	A21
UL Wet/ damp/ dry location	Damp location
Net Weight (Piece)	0.150 kg
Approval and Application	
EU RoHS compliant	Yes

Dimensional drawing




EyeComfort	Yes
T20 compliant	Yes
LED Innovations	EyeComfort
Ambient temperature range	-20 to +45 °C
Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	18.5A21/PER/927/FR/P/E26/3WAY/T20 4/1PF
Full product name	18.5A21/PER/927/FR/P/E26/3WAY/T20 4/1PF
Order code	929002285133
Material Nr. (12NC)	929002285133
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677571528
Numerator - Packs per outer box	4
EAN/UPC - Case	50046677571523

Photometric data




General uniform lighting – 18.5A21/PER/927/FR/P/E26/3WAY/T20 4/1PF



Light Distribution Diagram – 18.5A21/PER/927/FR/P/E26/3WAY/T20 4/1PF


Specialty Lamps

Photometric data




Spectral Power Distribution Colour - 18.5A21/PER/927/FR/P/
E26/3WAY/T20 4/1PF

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - 18.5A21/PER/927/FR/P/E26/3WAY/T20
4/1PF

