

Specifications



Photo is representative

Eaton RQA2033B480K

Eaton pringle bolted pressure switch,Manual bolted pressure contact switch,Interlock,2000A,Bottom,Fusible,480V,NEMA 1/3R/4/12,Three-pole,Three-wire

General specifications

PRODUCT NAME	Eaton pringle bolted pressure switch
CATALOG NUMBER	RQA2033B480K
UPC	786685618180
PRODUCT LENGTH/DEPTH	13.5 in
PRODUCT HEIGHT	32 in
PRODUCT WIDTH	24 in
PRODUCT WEIGHT	180 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
CERTIFICATIONS	UL 977

Physical Attributes

FUSE CONFIGURATION	Fusible
INTERLOCK	Key interlock provision
SWITCH TYPE	Manually operated contact switch
TYPE	Manual bolted pressure contact switch

Performance Ratings

NEMA RATING	NEMA 1, NEMA 3R, NEMA 4, NEMA 12
PROTECTION	Fusible
VOLTAGE - MAX	480 V

Resources

CATALOGS	Commercial Distribution, Switching Devices, Volume 2, Tab 1
MULTIMEDIA	Switching Devices Flex Center ARMS Enclosed Circuit Breaker Double Up on Safety Eaton Switching Devices
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - RQA2033B480K
WARRANTY GUIDES	Selling Policy 25-000 - Distribution and Control Products and Services

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.