

# Specifications

## Eaton RD325T36W



Photo is representative

Eaton Series C electronic molded case circuit breaker, R-frame, RD, Complete breaker, Digitrip 310 RMS, Electronic LSIG trip type, Three-pole, 2500A, 600 Vac, 65 kAIC at 480 Vac, 50 kAIC at 600 Vac, Without terminals

### General specifications

|                             |                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Series C electronic molded case circuit breaker                                                                                                                            |
| <b>CATALOG NUMBER</b>       | RD325T36W                                                                                                                                                                        |
| <b>UPC</b>                  | 786679567654                                                                                                                                                                     |
| <b>PRODUCT LENGTH/DEPTH</b> | 9.75 in                                                                                                                                                                          |
| <b>PRODUCT HEIGHT</b>       | 15.5 in                                                                                                                                                                          |
| <b>PRODUCT WIDTH</b>        | 15.5 in                                                                                                                                                                          |
| <b>PRODUCT WEIGHT</b>       | 135 lb                                                                                                                                                                           |
| <b>WARRANTY</b>             | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| <b>CERTIFICATIONS</b>       | UL Listed                                                                                                                                                                        |

## Product specifications

|                                   |                                          |
|-----------------------------------|------------------------------------------|
| <b>AMPERAGE RATING</b>            | 2500 A                                   |
| <b>VOLTAGE RATING</b>             | 600 Vac                                  |
| <b>TRIP TYPE</b>                  | T172                                     |
| <b>CIRCUIT BREAKER TYPE</b>       | RD                                       |
| <b>CIRCUIT BREAKER FRAME TYPE</b> | Complete breaker                         |
| <b>TERMINALS</b>                  | Without terminals                        |
| <b>INTERRUPT RATING</b>           | 50 kAIC at 600 Vac<br>65 kAIC at 480 Vac |
| <b>NUMBER OF POLES</b>            | Three-pole                               |
| <b>TYPE</b>                       | New design 310                           |

## Resources

### APPLICATION NOTES

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

[Application of Tap Rules to Molded Case Breaker Terminals](#)

[UL listed 100%-rated molded case circuit breakers](#)

### BROCHURES

[StrandAble terminals product aid](#)

[Current limiting Series C molded case circuit breakers product aid](#)

[Motor protection circuit breakers product aid](#)

[Multi-wire lugs product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Circuit breaker motor operators product aid](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[Breaker service centers](#)

### CATALOGS

[Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2](#)

### MULTIMEDIA

[Circuit Breakers Explained](#)

[MOEM MCCB product selection guide](#)

[Series C F-Frame molded case circuit breakers](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

[Eaton Specification Sheet - RD325T36W](#)

### SPECIFICATIONS AND DATASHEETS

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

