## Specifications







## Eaton 170M5014

Fuse-link, high speed, 800 A, AC 690 V, DIN 2, 61 x 61 x 108 mm, aR, DIN, IEC, single indicator

| General specifications  |   |
|-------------------------|---|
| PRODUCT NAME            | Eaton Bussmann series<br>high speed square body<br>fuse |
| CATALOG NUMBER          | 170M5014  |
| MODEL CODE              | FUSE 800A 690V 2/80 AR<br>UC                            |
| UPC                     | 051712259903  |
| EAN                     | 5027590455411   |
| PRODUCT<br>LENGTH/DEPTH | 286 mm  |
| PRODUCT HEIGHT          | 66 mm   |
| PRODUCT WIDTH           | 165 mm  |
| PRODUCT WEIGHT          | 625 g   |
| WARRANTY                | Not Applicable  |
| COMPLIANCES             | CE Marked<br>RoHS Compliant                             |
| CERTIFICATIONS          | UL Recognized<br>IEC Rated                              |
| GLOBAL CATALOG          | 170M5014  |



| Product specification                      | S   |
|--|---|
| AMPERAGE RATING                            | 800 A   |
| BREAKING CAPACITY                          | 200 kA  |
| FUSE INDICATOR                             | Top fuse status indicator   |
| INSULATED METAL<br>GRIPPING LUGS (IMGL)    | No  |
| UTILIZATION CATEGORY                       | aR (accompanied semiconductor protection)                                     |
| VOLTAGE TYPE                               | AC  |
| FUSE SIZE                                  | 2   |
| RATED VOLTAGE AC                           | 690 V   |
| CENTER-TO-CENTER DISTANCE OF CONNECTIONS   | 78 mm   |
| CURRENT TYPE                               | AC  |
| MOUNTING DIMENSION                         | M10   |
| CLASS                                      | Class aR  |
| CLEARING (I2T)                             | 575000 at 660 V   |
| WATT LOSSES                                | 105 W   |
| CLEARING LOSS                              | 105   |
| FUSE SHAPE                                 | Square body, slotted center bolted tags                                       |
| PRE ARC (I2T)                              | 86000   |
| COLOR                                      | None  |
| INTERRUPT RATING                           | 200 kAIC  |
| CONNECTION                                 | Blade end x blade end   |
| CONSTRUCTION SIZE                          | 2   |
| PACKAGING TYPE                             | Standard  |
| VOLTAGE RATING                             | 690 V (IEC), 700 V (UL)   |
| ТҮРЕ                                       | Fuse  |
| APPLICATION                                | Semiconductor, DC<br>Common bus, DC drives,<br>power<br>converters/rectifiers |
| FUSE TYPE                                  | DIN 43653<br>/80 Visual indicator   |
| FUSE SYSTEM<br>(ACCORDING TO IEC<br>60269) | Other   |

| Resources                     |  |
|-------------------------------|--|
| CATALOGS                      | eaton-bussmann-series-<br>iec-high-speed-fuses-<br>catalogue-ca135001en-en-<br>gb.pdf      |
|                               | Bussmann series<br>complete full line catalog<br>no. 1007                                  |
|                               | 170M5014~Eaton Bussmann series high speed square body fuse                                 |
| DECLARATIONS OF<br>CONFORMITY | eaton-high-speed-square-<br>body-fuse-declaration-of-<br>conformity-<br>uk251153en.pdf     |
|                               | eaton-high-speed-square-<br>body-fuse-declaration-of-<br>conformity-<br>eu250670en.pdf     |
| MANUALS AND USER<br>GUIDES    | High speed fuses<br>application guide  |
| MCAD MODEL                    | eaton-hs-square-body-<br>fuses-mcad-3d-models-<br>u0102.stp                                |
| PRODUCT NOTIFICATIONS         | eaton-bussmann-series-<br>ukca-marking-high-speed-<br>fuses-pcn-bur-00167-en-<br>gb.pdf    |
|                               | eaton-bussmann-series-<br>170m-fuses-product-<br>change-notice-pcn-bur-<br>00193-en-us.pdf |
| TECHNICAL DATA SHEETS         | 720014 DIN 43653 690V  |

| PROJECT NAME:   |  |
|-----------------|--|
| PROJECT NUMBER: |  |
| PREPARED BY:    |  |
| DATE:           |  |



**Eaton Corporation plc** Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









