Specifications







Eaton XTOE020CCS

Eaton C440 electronic overload relay, XT IEC, 4-20A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type

General specifications		
PRODUCT NAME	Eaton C440 electronic overload relay	
CATALOG NUMBER	XTOE020CCS	
UPC	786685416472	
PRODUCT LENGTH/DEPTH	1.8 in	
PRODUCT HEIGHT	4.3 in	
PRODUCT WIDTH	1.42 in	
PRODUCT WEIGHT	0.87 lb	
COMPLIANCES	ATEX Compliant RoHS Compliant CE Marked	
CERTIFICATIONS	IEC 60947 CSA Certified EN 60947 UL Listed	



Product specifications		
OVERLOAD RANGE	4-20A	
ТҮРЕ	Electronic overload relay	
FRAME SIZE	45 mm	
MOUNTING METHOD	Direct	
CONTACT CONFIGURATION	NO, NC	
TRIP TYPE	Selectable 10 A, class 10 ,20, 30	

C440 Electronic Overload Relay
Motor Control and Protection, NEMA Contactors and Starters, Volume 5, Tab 2
Eaton Specification Sheet - XTOE020CCS

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

 $\hbox{@ 2025 Eaton.}$ All Rights Reserved.

Follow us on social media to get the latest product and support information.









